

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(multiplex\$4 near multiple near user) same (single or one) same timeslot	USPAT	OR	OFF	2006/12/15 09:50
L2	1	(multiplex\$4 near user) same (single or one) same timeslot	USPAT	OR	OFF	2006/12/15 09:51
L3	0	((("20" or twenty) adj (millisecond\$1)) near (timeslot\$1)	USPAT	OR	OFF	2006/12/15 09:52
L4	5934	((("20" or twenty) adj (millisecond\$1))	USPAT	OR	OFF	2006/12/15 09:52
L5	0	L4 near timeslot\$1	USPAT	OR	OFF	2006/12/15 09:52
L6	14	L4 and TRAU	USPAT	OR	OFF	2006/12/15 10:14
L7	0	(multiplexing adj multiple adj user\$1) near (timeslo\$1)	USPAT	OR	OFF	2006/12/15 10:14
L8	0	(multiplexing adj multiple adj user\$1) near (timeslo\$1)	US-PGPUB; USPAT	OR	OFF	2006/12/15 10:16
L9	1	(one or single) adj air adj interface adj timeslot	US-PGPUB; USPAT	OR	OFF	2006/12/15 10:16
L10	0	(bacuahaul near link near timeslot)	US-PGPUB; USPAT	OR	OFF	2006/12/15 10:17
L11	4	(backhaul near link near timeslot\$1)	US-PGPUB; USPAT	OR	OFF	2006/12/15 10:17
L12	1	(backhaul near timeslot\$1)	US-PGPUB; USPAT	OR	OFF	2006/12/15 10:18
L13	20	(backhaul near frame\$1)	US-PGPUB; USPAT	OR	OFF	2006/12/15 10:18
L16	0	(multiple near timeslot\$1) same (map\$5 or combine\$1) same (backhaul or backbone)	USPAT	OR	OFF	2006/12/15 10:31
L17	2	(multiple same timeslot\$1) same (map\$5 or combine\$1) same (backhaul or backbone)	USPAT	OR	OFF	2006/12/15 10:36
L18	7	(multiple same timeslot\$1) same (backhaul or backbone)	USPAT	OR	OFF	2006/12/15 10:32
L19	0	(multiple same timeslot\$1) same (map\$5 or combine\$1) same (bearer)	USPAT	OR	OFF	2006/12/15 10:37
L20	3	(segment\$4 same (control or bearer)) same (multiple same timeslot\$1)	USPAT	OR	OFF	2006/12/15 11:22
L21	4	(backhaul same timeslot\$1)	USPAT	OR	OFF	2006/12/15 12:08
L22	1	(transmit\$4 near timeslot\$1 near concurrent\$3)	USPAT	OR	OFF	2006/12/15 12:23

## EAST Search History

L23	247	(not\$4 near trans\$6 near data)	USPAT	OR	OFF	2006/12/15 12:25
L24	1	(not\$4 near trans\$6 near data) and backhaul	USPAT	OR	OFF	2006/12/15 12:26
L25	0	(stop\$4 near trans\$6 near data) and backhaul	USPAT	OR	OFF	2006/12/15 12:36
L26	1	"6687226".pn.	USPAT	OR	OFF	2006/12/15 12:36
S1	280	((backhaul or backup) and (link or resource\$1) and (manag\$5 or allocat\$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 18:24
S2	228	S1 and (@rlad<"20040311" or @ad<"20040311")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 18:26
S3	31	S1 and (@rlad<"20040311" or @ad<"20040311")	USPAT	OR	OFF	2006/12/14 09:02
S4	21	((backhaul) and (link or resource\$1) and (manag\$5 or allocat\$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 09:01
S5	3	S4 and (@rlad<"20040311" or @ad<"20040311")	USPAT	OR	OFF	2006/12/14 08:59
S6	237	((backhaul) same (link or resource\$1) same (manag\$5 or allocat\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 09:01
S7	99	S6 and (@rlad<"20040311" or @ad<"20040311")	USPAT	OR	OFF	2006/12/14 10:11
S8	0	S7 and ((reduc\$3 or reallocat\$3 or "re-allocate") near cod\$3)	USPAT	OR	OFF	2006/12/14 10:12
S9	0	S7 and ((maximiz\$4 same cod\$4) near (scheme or rate))	USPAT	OR	OFF	2006/12/14 10:12
S10	4	S7 and ((maximiz\$4 same cod\$4) same (scheme or rate))	USPAT	OR	OFF	2006/12/14 10:13

## EAST Search History

S11	17	(multiplex\$4 same (user\$1 adj (data or information)) same timeslot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 18:26
S12	16	S11 and (@rlad<"20040311" or @ad<"20040311")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/14 18:26
S13	12	S11 and (@rlad<"20040311" or @ad<"20040311")	USPAT	OR	OFF	2006/12/15 10:31